PRIOR ART


B CHTML SERVER GHTML SERVER GHTML SERVER GHTML SERVER 10 PERSONAL COMPUTER COMMUNICATIONS SERVICE) TION SERVER TION SERVER


16.1

. FURUTANI PATENT OFFICE

01-3-32.10.32

118US





Con the time the

FIG.3


DATA STRUCTURE OF DATA WRITTEN IN BASIC LANGUAGE

SHAW-D. TTMAN

STYLE SHEET (DISPLAY FORMAT DESCRIPTION DATA)

BODY (DISPLAY CONTENTS DESCRIPTION DATA)

FIG.4



NAW-PITTWAN

STAG NAME ATTRIBUTE NAME ATTRIBUTE VALUE ATTRIBUTE NAME ATTRIBUTE VALUE....

6/27

07/74.9 006-1 E-483

-mo1∃ me44:80 10-06-16M

FIG.6

BODY

<KSP KEY=K1 NAME='KSP SAMPLE'>
<P KEY=R1> SELECT THE MENU</P>

 E-MAIL
 BBS
</KSP>


STYLE SHEET

<HEAD><TITLE>\$K1.NAME\$</TITLE></HEAD> \$R4 < A HREF=\$R3.HREF\$>\$R3 <BODY BACKGROUND=bg.g.glt> < I MG SHC=\$HZ, SHC\$> \$H1\$
 </BODY> **NUTHINAL CHTML>** 8/21

07/84.9 008-T F-483

118U5

FIG.8




34 VMT DITTMON

[=#;

\$2


118US

FIG.9



SHAW-PITTMAN

FIG.10



200M-511-40N

FIG.11

TAG NUMBER		
TAG TYPE		
NUMBER OF ATTRIBUTE	S	
ATTRIBUTE NAME-1	ATTRIBUTE VALUE-1	
ATTRIBUTE NAME-2	ATTRIBUTE VALUE-2	
ATTRIBUTE NAME-3	ATTRIBUTE VALUE-3	
	,	
TEXT (ONLY A-TAG, F-TAG)		
THE PROPERTY OF THE PROPERTY O		
TAG NUMBER FOR CHI	LD TAGONLY KSP, FORM, SELECT TAG)	

5 H A W - B 1 T T V A N

SHAW-FITTWAN

FIG.12





FIG.13



SHAW-FITTMAN

118US

FIG.14

TAG NUMBER	1
TAG TYPE	KSP
NUMBER OF ATTRIBUTES	2
ATTRIBUTE NAME-1	KEY
ATTRIBUTE VALUE-1	K1
ATTRIBUTE NAME-2	NAME
ATTRIBUTE VALUE-2	KSPSAMPLE
TEXT	(EMPTY)
SUBSEQUENT TAG NUMBER	D(NO CORRESPONDING TAG)
TAG NUMBER FOR CHILD TAG	

2
P
KEY
申1
SELECT THE MENU
3
O(NO CORRESPONDING TAG)


TAG NUMBER	3
TAG TYPE	MG
NUMBER OF ATTRIBUTES	2
ATTRIBUTE NAME-1	KEY
ATTRIBUTE VALUE-1	R2
ATTRIBUTE NAME-2	\$RC
ATTRIBUTE VALUE-2	CON. JPG
TEXT	(NONE)
SUBSEQUENT TAG NUMBER	4
TAG NUMBER FOR CHILD TAG	O(NO CORRESPONDING TAG)

TAG NUMBER	4
TAG TYPE	<u> A</u>
NUMBER OF ATTRIBUTES	2
ATTRIBUTE NAME-1	KEY
ATTRIBUTE VALUE-1	Ra
ATTRIBUTE NAME-2	HREF
ATTRIBUTE VALUE-2	MAIL. KSP
TEXT	MAIL
SUBSEQUENT TAG NUMBER	5
TAG NUMBER FOR CHILD TA	G Q(NO CORRESPONDING TAG)

FIG.15

	The second secon
TAG NUMBER	5
TAG TYPE	A
NUMBER OF ATTRIBUTES	2
ATTRIBUTE NAME-1	KEY
ATTRIBUTE VALUE-1	<u>R4</u>
ATTRIBUTE NAME-2	HREF
ATTRIBUTE VALUE-2	BBS. KSP
TEXT	O(NO CORRESPONDING TAG)
SUBSEQUENT TAG NUMBER TAG NUMBER FOR CHILD TAG	
TAG NUMBER FUR UNILU IAG	<u> </u>

FIG.16



24VM-6114MVN

247M-017-48

118US

<HEAD><TITLE>KSP sample < A HREF=MAIL. KSP> MAIL </ > <BODY BACKGROUND=bg.glf> BB8 < I MG SRC= I COM. JPG> KA HREF-BBS. KSP> SELECT THE MENU
 </BODY> </r> VINITAL/

18/27

FIG.17

-mo1 귀






FIG.19A



SHAW-BITTMAN





SHAW-FITTMAN


FIG.20

MAIL BBS < I MG SRC= I COM. BMP>
 <HTML VERSION=3.0> SELECT THE MENU < BR> </br> <DISPLAY>


22/27

-mo17 ms64:80 f0-06-1sM

FIG.21




SHAW-PITTVAN



SHAW-0 I TTMAN


FIG.22




3HVM->1-1WVM

FIG. 23

118US



SHAW-DITTMAN



SHAW-PITTMAN